

The background is a vibrant yellow. It is decorated with several abstract geometric shapes in shades of blue, teal, and white. These include circles, semi-circles, and rounded rectangular shapes, some of which are layered or overlapping. The shapes are scattered across the page, with a concentration in the top right and bottom left corners.

Appendix A20.1

Seveso Sites

Appendix A20.1: Seveso Sites

Name	Location	Approximate Distance from the Proposed Scheme	Nearest Hospital	Nearest Fire Station	Consultation Zone Distance*	Scoped In / Out
Upper Tier Seveso Sites						
National Oil Reserves Agency Ltd.	Pigeon House Road, Ringsend, Dublin 4	3.6km north-east of the northern section of the Proposed Scheme	St. Vincent's Hospital (approx. 4.5km distance)	Dublin Fire Brigade HQ (Townsend Street) (approx. 2.7km distance)	300m (from perimeter)	Out. Proposed Scheme outside consultation zone distance
National Oil Reserves Agency Ltd.	Shellybanks Road, Ringsend, Dublin 4	3.8km north-east of the northern section of the Proposed Scheme	St. Vincent's Hospital (approx. 6.5km distance)	Dublin Fire Brigade HQ (Townsend Street) (approx. 5.8km distance)	300m (from perimeter)	Out. Proposed Scheme outside consultation zone distance
Lower Tier Seveso Sites						
Synergen Power Ltd t/a ESB Dublin Bay Power	Pigeon House Road, Ringsend, Dublin 4	3.6km north-east of the commencement point of the Proposed Scheme	St. Vincent's Hospital (approx. 5.1km distance)	Dublin Fire Brigade HQ (Townsend Street) (approx. 4.2km distance)	300m (from bund wall)	Out. Proposed Scheme outside consultation zone distance

*Consultation Zone is the area liable to be affected by a major accident at a Seveso site. Therefore, if the Proposed Scheme fell within the specified consultation zone for a Seveso site, the Health and Safety Authority would be required to be consulted. The Proposed Scheme does not fall within and consultation zone for any listed Seveso site in the vicinity.